

# Base Corner Cabinets

## Construction Options and Modifications


- - - - Available with an upcharge
- ◆ - - - Included as standard
- (Blank) - Not available

Material dimensions may be nominal based on lumber industry standards.

Specifications subject to change without notice.

- PE - - - Plywood Ends
- APC - - All Plywood Construction
- APFC - - All Plywood Furniture Construction
- DE - - - Integrated Decorative End
- FPEB - - Furniture Plywood Ends
- GD - - - Glass Doors
- MI - - - Matching Interior
- RD - - - Reduced Depth
- RTK - - Recessed Toe Kick
- RTKP - - Recessed Toe Kick Peninsula
- TWR - - Top Wide Rail
- VTK - - Void Toe Kick
- WR - - - Wide Bottom Rail
- XS - - - Extended Stile

<b>PBBC</b>	<b>36</b>
code	width




Blind Right Shown


### Base Blind Corner Cabinet Information

- All base blind corner cabinets must be pulled. Consult chart or pull dimensions and minimum wall space requirements.
- R or L indicates blind
- Door hinged on same side as blind on single door cabinets
- **Important Notes:**
- A 3" base filler is included with each BBC cabinet ordered, shipped separately. Base cabinet adjacent to BBC may be ordered with an extended stile in lieu of installing supplied filler.
- BBCU is a universal blind cabinet that is shipped blind right standard, and may be reversed in field
- Two 3" base fillers are included with each Peninsula Base Blind Corner ordered except the PBBC 27
- Optional blind corner overlay (OPWBC) is available for full overlay door styles only; see Base Accessories Section of this book


PE
APC
APFC
DE
FPEB
GD
MI
RD
RTK
RTKP
TWR
VTK
WR
XS



Peninsula Base Blind Corner Cabinet



Base Blind Cabinet Universal




Base Blind Cabinet

	1/2" Overlay						Full Overlay					
	Wall Space "A"		Exposed Front "B"		Door Open	Cab. Width	Wall Space "A"		Exposed Front "B"		Door Open	Cab. Width
	Min *	Max.	Min *	Max	C		Min *	Max	Min *	Max	C	
BBCU 36	36"	40"	12"	16"	6"	24"	36"	40"	12"	16"	6"	24"
PBBC 36	34 1/2"	37 3/4"	10 1/2"	13 3/4"	6"	33"	35 1/4"	38 3/4"	11 1/4"	14 3/4"	6"	33"
BBC 39	37 1/2"	40 3/4"	13 1/2"	16 3/4"	9"	36"	38 1/4"	41 3/4"	14 1/4"	17 3/4"	9"	36"
BBCU 39	37 1/2"	40 5/8"	13 3/4"	16 3/8"	9"	27"	38 1/4"	39 7/8"	13"	15 7/8"	9"	27"
P/BBC 42	40 1/2"	43 3/4"	16 1/2"	19 3/4"	12"	39"	41 1/4"	44 3/4"	17 1/4"	20 3/4"	12"	39"
BBCU 42	40 1/2"	43 5/8"	16 3/4"	19 3/8"	12"	33"	41 1/4"	42 7/8"	16"	18 7/8"	12"	33"
BBC 45	43 1/2"	46 3/4"	19 1/2"	22 3/4"	15"	42"	44 1/4"	47 3/4"	20 1/4"	23 3/4"	15"	42"
BBCU 45	43 1/2"	46 5/8"	19 3/4"	22 3/8"	15"	39"	44 1/4"	45 7/8"	19"	21 7/8"	15"	39"
P/BBC 48	46 1/2"	49 3/4"	22 1/2"	25 3/4"	18"	45"	47 1/4"	50 3/4"	23 1/4"	26 3/4"	18"	45"
BBCU 48	46 1/2"	49 5/8"	22 3/4"	25 3/8"	18"	45"	47 1/4"	48 7/8"	22"	24 7/8"	18"	45"


\* Dimensions "A" and "B" minimum requirements include optional decorative hardware clearance. You may deduct 1 1/4" if hardware is not used.

## Base Blind Corner Universal

(price book pg. E30)



BBCU36



BBCU39-48

- Blind panel (stile) is 9" wide
- Two adjustable, full-depth shelves
- Full-height door
- Greenwich, Harlowe, Smithton and Vanderbilt doors will have a solid, recessed flat panel.

### BBCU39

### BBCU42

### BBCU45

### BBCU48

- Blind panel (stile) is 6" wide
- One adjustable, full-depth shelf


- BBCU is a universal blind cabinet that is shipped blind right standard, and may be reversed in field
- Door is hinged from blind panel
- Filler included
- Right blind shown
- Overlay must be ordered separately
- Factory installed Roll-out Trays (ROT) are *not* available

- PE
- APC
- APFC
- DE
- FPFB
- GD
- MI
- RD
- RTK
- RTKP
- TWR
- VTK
- WR
- XS

## Base Blind Corner

(price book pg. E30)

Specify R or L



### BBC39 R or L

### BBC42 R or L

### BBC45 R or L

### BBC48 R or L


- Blind panel (stile) is 8" wide
- Door is hinged from blind panel
- R or L indicates blind
- Right blind shown
- Filler included
- One adjustable, full-depth shelf
- Overlay must be ordered separately
- Factory installed Roll-out Trays (ROT) are *not* available

- PE
- APC
- APFC
- DE
- FPFB
- GD
- MI
- RD
- RTK
- RTKP
- TWR
- VTK
- WR
- XS

## Base Blind Corner w/Lazy Susan

(price book pg. E32)

Specify R or L



### BBC42 R or L-LS

### BBC45 R or L-LS

### BBC48 R or L-LS


- Blind panel (stile) is 8" wide
- Door is hinged from blind panel
- R or L indicates blind
- Filler included
- Two half-circle shelves, rotate individually
- Right blind shown
- Overlay must be ordered separately
- Lazy Susan also available as field installed kit; see Base Accessories section of this book

- PE
- APC
- APFC
- DE
- FPFB
- GD
- MI
- RD
- RTK
- RTKP
- TWR
- VTK
- WR
- XS

## Base Blind Corner w/Wood Lazy Susan

(price book pg. E32)

Specify R or L Blind



### BBC42 R or L-WLS

### BBC45 R or L-WLS

### BBC48 R or L-WLS

- Blind panel (stile) is 8" wide
- Door is hinged from blind panel
- R or L indicates blind
- Filler included
- Two half-circle shelves, rotate and slide out individually
- Rotating shelves have plywood floor and solid wood trim
- Right blind shown
- Overlay must be ordered separately
- All Wood Lazy Susan also available as field installed kit; see Base Accessories section of this book

- PE
- APC
- APFC
- DE
- FPFB
- GD
- MI
- RD
- RTK
- RTKP
- TWR
- VTK
- WR
- XS


### Peninsula Base Blind Corner

(price book pg. E32)

Specify R or L

- \* **PBBC36 R or L**
- \* **PBBC39 R or L**
- \* **PBBC42 R or L**
- \* **PBBC45 R or L**
- \* **PBBC48 R or L**

\* Full-height, kitchen side only. Greenwich, Harlowe, Smithton and Vanderbilt doors will have a solid, recessed flat panel.



- One adjustable, full-depth shelf
- Blind panel (stile) is 8" wide
- Right blind shown
- Kitchen door is hinged from blind panel
- R or L indicates blind
- Single door and working drawer on kitchen side; double doors and single drawer on peninsula side
- Overlay filler must be ordered separately
- **Note:** Two 3" base fillers included. Blind Corner Overlay must be ordered separately; see Base Accessories section of this book.
- Factory installed Roll-out Trays (ROT) are **not** available


● PE
● APC
● APFC
DE
● FPEB
● GD
● MI
● RD
● RTK
RTKP
TWR
● VTK
● WR
● XS

### Base Blind Corner w/Swing-out

(price book pg. E32)

Specify R or L

- \* **BBC42 R or L-PSO**
- \* **BBC45 R or L-PSO**
- \* **BBC48 R or L-PSO**



- Blind panel (stile) is 8" wide
- Door is hinged from blind panel
- Right blind shown
- R or L indicates blind
- Filler included
- One standard drawer
- Solid wood swing-out caddy
- Two adjustable High Back Roll-out Trays (HBROT)
- Overlay must be ordered separately
- **Note:** Swing-out will **not** fully open if a wall, another cabinet, appliance or any other obstruction deeper than 24" is next to swing out side end panel

● PE
● APC
● APFC
DE
● FPEB
● GD
● MI
● RD
● RTK
● RTKP
TWR
● VTK
● WR
● XS

### Peninsula Base Blind Corner-27" Wide


(price book pg. E32)

#### PBBC27


- Designed to fit flush against wall, cabinet may be pulled approximately 2 1/4". Full overlay door styles require a pull of at least 1" from wall to allow decorative hardware clearance.
- Two 5 1/2" stiles on blind side allow cabinet to be used as right or left
- Filler included
- For use as a starter cabinet for peninsula
- One adjustable, full-depth shelf
- Overlay filler must be ordered separately
- Reversible
- Working drawer and doors open to same side





Remember, when using a 27" wide Peninsula Base Blind Corner cabinet (PBBC27), it is highly recommended to use peninsula cabinets on the adjacent run due to depth continuity. If regular base cabinets are used, the run will **not** be flush once the matching panel is applied.



● PE
● APC
● APFC
DE
● FPEB
● GD
● MI
● RD
● RTK
RTKP
TWR
● VTK
● WR
● XS



## Lazy Susan Cabinet Information



All dimensions are to outside of frame

PE
APC
APFC
DE
FPEB
GD
MI
RD
RTK
RTKP
TWR
VTK
WR
XS

### Lazy Susan


(price book pg. E34)

Specify R or L

#### LS36 R or L

- Two pie-cut, 28" diameter, interior Viraguard rotating shelves
- Requires 36" of wall space
- Face frame is scooped for hinge installation on full overlay door styles
- Doors are profiled on one long and two short edges and are connected with hinges
- Contrasting Back Options (CBEB, CPLB, CVGR) **not** available
- ☆ Back (barrel) will **not** be plywood when APC is chosen

34 1/2"



PE
☆ APC
APFC
DE
FPEB
● GD
MI
RD
RTK
RTKP
TWR
VTK
● WR
● XS


### Lazy Susan - Revolving Door

(price book pg. E32)

#### LS36

- Two pie-cut, 28" diameter, interior Viraguard rotating shelves
- Requires 36" of wall space
- Contrasting Back Options (CBEB, CPLB, CVGR) **not** available
- **Not** available in full overlay door styles
- ☆ Back (barrel) will **not** be plywood when APC is chosen

34 1/2"



PE
☆ APC
APFC
DE
FPEB
GD
MI
RD
RTK
RTKP
TWR
VTK
● WR
● XS

### Wood Lazy Susan


(price book pg. E34)

Specify R or L

#### LS36 R or L-WLS

- Rotating shelves have plywood floor and solid wood trim
- Shelves rotate independently
- Requires 36" of wall space
- Face frame is scooped for hinge installation on full overlay door styles
- Doors are profiled on one long and two short edges and are connected with hinges
- Contrasting Back Options (CBEB, CPLB, CVGR) **not** available
- ☆ Back (barrel) will **not** be plywood when APC is chosen

34 1/2"



PE
☆ APC
APFC
DE
FPEB
● GD
MI
RD
RTK
RTKP
TWR
VTK
● WR
● XS


### Base Corner Fixed Shelf

(price book pg. E36)

Specify R or L

#### BCFS36 R or L

- One fixed shelf
- Requires 36" of wall space
- Face frame is scooped for hinge installation on full overlay door styles
- Contrasting Back Options (CBEB, CPLB, CVGR) **not** available
- ☆ Back (barrel) will **not** be plywood when APC is chosen



●	PE
☆	APC
	APFC
	DE
	FPEB
	GD
	MI
	RD
	RTK
	RTKP
	TWR
	VTK
●	WR
●	XS


### Lazy Susan End Panel

(price book pg. E34)

Specify R or L Viraguard

#### LSEP R or L



- Notched to fit behind stile of Lazy Susan front frame
- Requires 3/16" of wall space
- Quartersawn door styles supplied in plain sawn wood
- Exterior finished to match, interior is Natural Birch Viraguard



●	PE
●	APC
●	APFC
	DE
●	FPEB
	GD
●	MI
	RD
	RTK
	RTKP
	TWR
	VTK
	WR
	XS

### Angle Cabinet Information

#### BA/LSA/SBA



All dimensions are to outside of frame


●	PE
●	APC
●	APFC
	DE
	FPEB
	GD
	MI
	RD
	RTK
	RTKP
	TWR
	VTK
	WR
	XS

### Base Angle

(price book pg. E34)

#### BA36 R or L

- One fixed shelf
- False drawer front
- Angled back provides clearance for installation
- 30 1/2" door clearance recommended for delivery
- Back Options (BEB and VGRB) **not** available
- Contrasting Back Options (CBEB, CPLB, CVGR) **not** available



●	PE
●	APC
●	APFC
	DE
●	FPEB
●	GD
●	MI
	RD
●	RTK
	RTKP
●	TWR
●	VTK
●	WR
	XS

### Base Angle Full-Height Door


(price book pg. E34)

#### BA36 R or L-FH

- One fixed shelf
- Angled back provides clearance for installation
- 30 1/2" door clearance recommended for delivery
- Back Options (BEB and VGRB) **not** available
- Contrasting Back Options (CBEB, CPLB, CVGR) **not** available



Full overlay doors on cabinets with an angled front are intentionally narrower to allow proper clearance of adjacent cabinets.



- PE
- APC
- APFC
- DE
- FPEB
- GD
- MI
- RD
- RTK
- RTKP
- TWR
- VTK
- WR
- XS

### Lazy Susan Angle

(price book pg. E34)


Specify R or L

#### LSA36 R or L

- Two 28" diameter rotating shelves
- Angled back provides clearance for installation
- 30 1/2" door clearance recommended for delivery
- Back Options (BEB and VGRB) **not** available
- Contrasting Back Options (CBEB, CPLB, CVGR) **not** available



- PE
- APC
- APFC
- DE
- FPEB
- GD
- MI
- RD
- RTK
- RTKP
- TWR
- VTK
- WR
- XS



### Wood Lazy Susan Angle

(price book pg. E34)

Specify R or L

#### LSA36 R or L-WLS


- Two 28" diameter rotating shelves
- Rotating shelves have plywood floor and solid wood trim
- Shelves rotate independently
- Angled back provides clearance for installation
- 30 1/2" door clearance recommended for delivery
- Back Options (BEB and VGRB) **not** available
- Contrasting Back Options (CBEB, CPLB, CVGR) **not** available



Do not design a corner cabinet adjacent to an object deeper than the end panel. The door of the corner cabinet may not function properly.



- PE
- APC
- APFC
- DE
- FPEB
- GD
- MI
- RD
- RTK
- RTKP
- TWR
- VTK
- WR
- XS



### Base Drawer Angle

(price book pg. E36)


#### BDA40 •3

#### BDA40 •4


- Deep drawers will accept optional bread box
- Angled frame designed for diagonal corner installation only
- Requires 40 3/32" of wall space



- PE
- APC
- APFC
- DE
- FPEB
- GD
- MI
- RD
- RTK
- RTKP
- TWR
- VTK
- WR
- XS





BDA 40 •3



BDA 40 •4

## Easy Reach Cabinet Information



All dimensions are to outside of frame

PE
APC
APFC
DE
FPEB
GD
MI
RD
RTK
RTKP
TWR
VTK
WR
XS

### Easy Reach

(price book pg. E36)

Specify R or L

#### ★ EZR33 R or L

#### EZR36 R or L

- ★ Glass door option **not** available
- ◆ Greenwich, Harlowe, Smithton and Vanderbilt doors will have a solid, recessed flat panel. Courtney doors will have a veneer, recessed flat panel.




Do not put an appliance next to an Easy Reach (EZR) cabinet without providing proper clearance for the door to operate. Also, the cabinet door should be hinged opposite the appliance.

- One fixed shelf
- Frame opening, from left to right edge is 10 1/2" for EZR33 and 14 3/4" for EZR36
- Face frame is scooped for hinge installation on full overlay door styles
- Doors are profiled on one long and two short edges and are connected with hinges
- Angled back provides clearance for installation
- 29" door clearance recommended for delivery
- Back Options (BEB and VGRB) **not** available
- Contrasting Back Options (CBEB, CPLB, CVGR) **not** available

★ **Not** available with Aluminum Frame glass doors

● PE
● APC
● APFC
● DE
● FPEB
☆ GD
● MI
● RD
● RTK
● RTKP
● TWR
● VTK
● WR
● XS



### Easy Reach Super Susan

(price book pg. E36)

Specify R or L


#### ★ EZR33 R or L-SS

#### EZR36 R or L-SS

- ★ Glass door option **not** available
- ◆ Greenwich, Harlowe, Smithton and Vanderbilt doors will have a solid, recessed flat panel. Courtney doors will have a veneer, recessed flat panel.

- Two pie-cut 30 5/8" diameter, Viraguard interior rotating shelves
- Rotating shelves are attached to cabinet floor and fixed shelf
- Shelves rotate independently
- Frame opening, from left to right edge is 10 1/2" for EZR33 and 14 3/4" for EZR36
- Face frame is scooped for hinge installation on full overlay door styles
- Doors are profiled on one long and two short edges and are connected with hinges
- Angled back provides clearance for installation
- 29" door clearance recommended for delivery
- Back Options (BEB and VGRB) **not** available
- Contrasting Back Options (CBEB, CPLB, CVGR) **not** available

★ **Not** available with Aluminum Frame glass doors



● PE
● APC
● APFC
● DE
● FPEB
☆ GD
● MI
● RD
● RTK
● RTKP
● TWR
● VTK
● WR
● XS

### Easy Reach Wood Super Susan

(price book pg. E36)

Specify R or L


#### ★ EZR33 R or L-WSS

#### EZR36 R or L-WSS

- ★ Glass door option **not** available
- ◆ Greenwich, Harlowe, Smithton and Vanderbilt doors will have a solid, recessed flat panel. Courtney doors will have a veneer, recessed flat panel.

- Two pie-cut shelves rotate individually
- EZR33 has 28" diameter shelves; EZR36 has 32" diameter shelves
- Rotating shelves have plywood floor and solid wood trim
- Shelves rotate independently
- Frame opening, from left to right edge is 10 1/2" for EZR33 and 14 3/4" for EZR36
- Face frame is scooped for hinge installation on full overlay door styles
- Angled back provides clearance for installation
- Doors are profiled on one long and two short edges and are connected with hinges
- 29" door clearance recommended for delivery
- Back Options (BEB and VGRB) **not** available
- Contrasting Back Options (CBEB, CPLB, CVGR) **not** available

★ **Not** available with Aluminum Frame glass doors



● PE
● APC
● APFC
● DE
● FPEB
☆ GD
● MI
● RD
● RTK
● RTKP
● TWR
● VTK
● WR
● XS

### Easy Reach w/Curved Door

(price book pg. E38)

Specify R or L



#### EZR36 R or L-CDO

- 12 3/8" inside radius (to cabinet front edge)
- One fixed shelf
- Angled back provides clearance for installation
- 32" door clearance recommended for delivery
- For Curved Moldings, see Molding section of this book
- Back Options (BEB and VGRB) **not** available
- Contrasting Back Options (CBEB, CPLB, CVGR) **not** available
- **Note:** Selected cherry door styles only



Do not design a corner cabinet adjacent to an object deeper than the end panel. The door of the corner cabinet may not function properly.

●	PE
●	APC
●	APFC
	DE
●	FPEB
	GD
●	MI
	RD
	RTK
	RTKP
	TWR
●	VTK
	WR
	XS



All dimensions are to outside of frame